

9. QUALITY

9.1 Specifications. The Gas delivered by either party to the other hereunder shall meet the quality specifications of Customer's Transporter then having the most stringent quality specifications, which receives or delivers such Gas at Customer's Contractual Point(s) of Receipt or Delivery, as applicable, and, unless such Customer's Transporter's quality specifications are more stringent, shall be of such quality that it shall meet at least the following specifications:

- (a) Be commercially free from objectionable odors, dirt, dust, iron particles, gums, gum-forming constituents, gasoline, PCBs, and other solid and/or liquid matter, including but not limited to water, Gas treating chemicals, and well completion fluids and debris, which may become separated from the Gas during the transportation thereof.
- (b) Contain not more than one fourth (1/4) of one grain of hydrogen sulfide per one hundred (100) cubic feet, as determined by the cadmium sulfate quantitative test, nor more than twenty (20) grains of total sulfur per one hundred (100) cubic feet.
- (c) The Gas delivered hereunder shall not contain more than two-tenths of one percent (0.2%) by volume of oxygen, shall not contain more than three percent (3%) by volume of carbon dioxide, shall not contain more than three percent (3%) by volume of nitrogen, and shall not contain a combined total of carbon dioxide and nitrogen components of more than four percent (4%) by volume.
- (d) Have a heating value of not less than nine hundred and sixty-seven (967) Btu's per cubic feet and not more than eleven hundred (1100) Btu's per cubic feet.
- (e) Have a temperature of not more than 120 degrees Fahrenheit (120 degrees F), or less than forty degrees Fahrenheit (40 degrees F).
- (f) Have been dehydrated by the tendering party, by any method other than the use of a calcium chloride as desiccant, for removal of entrained water in excess of seven (7) pounds of water per million (1,000,000) Cubic Feet of Gas as determined by dew-point apparatus approved by the Bureau of Mines or such other apparatus as may be mutually agreed upon.

9.2 Rejection of Gas. Either party shall be entitled to reject any Gas tendered to it by the other party which does not meet the minimum specifications of Section 9.1 above. Acceptance of such Gas does not constitute any waiver of Bobcat's right to refuse to accept similarly nonconforming Gas.